



Queensland

*Transport Planning and Coordination Act 1994*

# Transport Planning and Coordination Regulation 2005

Reprinted as in force on 27 August 2010

Reprint No. 2

This reprint is prepared by  
the Office of the Queensland Parliamentary Counsel  
Warning—This reprint is not an authorised copy

# Information about this reprint

This regulation is reprinted as at 27 August 2010. The reprint shows the law as amended by all amendments that commenced on or before that day (Reprints Act 1992 s 5(c)).

The reprint includes a reference to the law by which each amendment was made—see list of legislation and list of annotations in endnotes. Also see list of legislation for any uncommenced amendments.

This page is specific to this reprint. See previous reprints for information about earlier changes made under the Reprints Act 1992. A table of reprints is included in the endnotes.

**Also see endnotes for information about—**

- **when provisions commenced**
- **editorial changes made in earlier reprints.**

## Spelling

The spelling of certain words or phrases may be inconsistent with other reprints because of changes made in various editions of the Macquarie Dictionary (for example, in the dictionary, ‘lodgement’ has replaced ‘lodgment’).

## Dates shown on reprints

**Reprints dated at last amendment** All reprints produced on or after 1 July 2002, authorised (that is, hard copy) and unauthorised (that is, electronic), are dated as at the last date of amendment. Previously reprints were dated as at the date of publication. If an authorised reprint is dated earlier than an unauthorised version published before 1 July 2002, it means the legislation was not further amended and the reprint date is the commencement of the last amendment.

If the date of an authorised reprint is the same as the date shown for an unauthorised version previously published, it merely means that the unauthorised version was published before the authorised version. Also, any revised edition of the previously published unauthorised version will have the same date as that version.

**Replacement reprint date** If the date of an authorised reprint is the same as the date shown on another authorised reprint it means that one is the replacement of the other.



Queensland

# Transport Planning and Coordination Regulation 2005

## Contents

---

		Page
<b>Part 1</b>	<b>Preliminary</b>	
1	Short title . . . . .	3
2	Commencement . . . . .	3
2A	Dictionary . . . . .	3
<b>Part 2</b>	<b>Code for IDAS</b>	
3	Code for IDAS . . . . .	3
<b>Part 3</b>	<b>Prescribed transit nodes</b>	
4	Prescribed transit nodes—Act, s 28AA . . . . .	4
<b>Part 4</b>	<b>Smartcard transport authorities</b>	
5	Definitions for pt 4. . . . .	7
6	Smartcard transport authorities . . . . .	7
7	Interim transport authorities . . . . .	8
8	Verification of a person's connection to the person's most recent digital photo . . . . .	8
9	Replacement of smartcard transport authority . . . . .	9
<b>Schedule</b>	<b>Code for IDAS</b> . . . . .	10
<b>Part 1</b>	<b>Preliminary</b>	
1	Purpose of code . . . . .	10
2	Definitions. . . . .	10
3	How to comply with this code . . . . .	11
<b>Part 2</b>	<b>Development standards</b>	
4	Lane width if traffic can pass stopped bus . . . . .	11
5	Lane width if buses operate in kerbside lane . . . . .	11
6	Lane width—straight, undivided two-way road . . . . .	12
7	Lane width—curved roads . . . . .	12
8	Road profiles . . . . .	12

Contents

---

9	Road turns and curves—basic curves . . . . .	12
10	Intersection curves other than for roundabouts . . . . .	13
11	Indented bus bays . . . . .	13
12	Roundabouts . . . . .	13
13	Road humps . . . . .	14
14	Flat top humps . . . . .	14
15	Mid-block islands . . . . .	14
<b>Schedule 3</b>	<b>Dictionary</b> . . . . .	<b>15</b>

**Endnotes**

1	Index to endnotes . . . . .	16
2	Date to which amendments incorporated . . . . .	16
3	Key . . . . .	16
4	Table of reprints . . . . .	17
5	List of legislation . . . . .	17
6	List of annotations . . . . .	18

# Transport Planning and Coordination Regulation 2005

[as amended by all amendments that commenced on or before 27 August 2010]

## Part 1 Preliminary

### 1 Short title

This regulation may be cited as the *Transport Planning and Coordination Regulation 2005*.

### 2 Commencement

This regulation commences on 19 September 2005.

### 2A Dictionary

The dictionary in schedule 3 defines particular words used in this regulation.

## Part 2 Code for IDAS

### 3 Code for IDAS

- (1) The code in the schedule is the code for IDAS for section 8C of the Act, in relation to road works on a local government road that forms part of a route used for a public passenger service.

[s 4]

---

- (2) The code applies for assessable development mentioned in the *Sustainable Planning Regulation 2009*, schedule 3, part 2, table 4, item 5.

## **Part 3 Prescribed transit nodes**

### **4 Prescribed transit nodes—Act, s 28AA**

- (1) The following areas that are proposed to be used for the purpose of a busway station are declared to be prescribed transit nodes—
- (a) the area, called the Stones Corner transit node, that is delineated in blue on PTN plan 1;
  - (b) the area, called the Langlands Park transit node, that is delineated in blue on PTN plan 2;
  - (c) the area, called the Coorparoo Junction transit node, that is delineated in blue on PTN plan 3;
  - (d) the area, called the Bennetts Road transit node, that is delineated in blue on PTN plan 4.
- (1A) The area used as Ferny Grove Railway Station that is delineated in blue on PTN plan 5 is declared to be a prescribed transit node called the Ferny Grove transit node.
- (1B) The following areas that are proposed to be used for the purpose of a station for operating a light rail are declared to be prescribed transit nodes—
- (a) the area, called the Gold Coast University Hospital transit node, that is delineated in blue on PTN plan 6;
  - (b) the area, called the Griffith University transit node, that is delineated in blue on PTN plan 7;
  - (c) the area, called the Gold Coast Hospital transit node, that is delineated in blue on PTN plan 8;

- 
- (d) the area, called the Southport transit node, that is delineated in blue on PTN plan 9;
  - (e) the area, called the Southport South transit node, that is delineated in blue on PTN plan 10;
  - (f) the area, called the Cypress Avenue transit node, that is delineated in blue on PTN plan 11;
  - (g) the area, called the Northcliffe transit node, that is delineated in blue on PTN plan 12;
  - (h) the area, called the Broadbeach South transit node, that is delineated in blue on PTN plan 13;
  - (i) the area, called the Cavill Avenue transit node, that is delineated in blue on PTN plan 14;
  - (j) the area, called the Florida Gardens transit node, that is delineated in blue on PTN plan 15.
- (2) A copy of a plan mentioned in subsection (1), (1A) or (1B) may be inspected, free of charge, during office hours on business days at the department's head office or on the department's website.
- (3) In this section—

***PTN plan 1*** means plan PTN–001 Stones Corner marked VO2 and dated 29 September 2008 held in the office of the department.

***PTN plan 2*** means plan PTN–002 Langlands Park marked VO1 and dated 12 June 2008 held in the office of the department.

***PTN plan 3*** means plan PTN–003 Coorparoo Junction marked VO1 and dated 12 June 2008 held in the office of the department.

***PTN plan 4*** means plan PTN–004 Bennetts Road marked VO1 and dated 12 June 2008 held in the office of the department.

***PTN plan 5*** means plan PTN–005 Ferny Grove Railway Station marked VO1 and dated 15 September 2009 held in the office of the department.

[s 4]

---

***PTN plan 6*** means plan PTN–006 Gold Coast University Hospital marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 7*** means plan PTN–007 Griffith University marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 8*** means plan PTN–008 Gold Coast Hospital marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 9*** means plan PTN–009 Southport marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 10*** means plan PTN–010 Southport South marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 11*** means plan PTN–011 Cypress Avenue marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 12*** means plan PTN–012 Northcliffe marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 13*** means plan PTN–013 Broadbeach South marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 14*** means plan PTN–014 Cavill Avenue marked VO1 and dated 16 December 2009 held in the office of the department.

***PTN plan 15*** means plan PTN–015 Florida Gardens marked VO1 and dated 16 December 2009 held in the office of the department.

---

## Part 4 Smartcard transport authorities

### 5 Definitions for pt 4

In this part—

*digital photo* see the Act, section 36F(5).

*digitised signature* see the Act, section 36F(5).

*most recent digital photo*—

- (a) for a transport authority under the *Tow Truck Act 1973*—see schedule 2 of that Act; or
- (b) for a transport authority under the *Transport Operations (Passenger Transport) Act 1994*—see schedule 3 of that Act; or
- (c) for a transport authority under the *Transport Operations (Road Use Management) Act 1995*—see schedule 4 of that Act.

*smartcard transport authority* see the Act, section 36G(1).

*transport authority* see the Act, section 36G(3).

*transport authority Act* means any of the following Acts—

- (a) the *Tow Truck Act 1973*;
- (b) the *Transport Operations (Passenger Transport) Act 1994*;
- (c) the *Transport Operations (Road Use Management) Act 1995*.

### 6 Smartcard transport authorities

- (1) A smartcard transport authority issued to a person by the chief executive may—
  - (a) indicate by way of a code, expression or otherwise that the person holds 1 or more transport authorities; and
  - (b) include information about the person's personal particulars.

[s 7]

---

- (2) A smartcard transport authority is, in relation to a particular transport authority, subject to the transport authority Act for the particular transport authority.
- (3) A code or expression used on a smartcard transport authority in relation to a particular transport authority has the meaning given under the transport authority Act for the particular transport authority.

## **7 Interim transport authorities**

- (1) This section applies if the chief executive intends to issue a smartcard transport authority to a person.
- (2) The chief executive may issue an interim transport authority to the person.
- (3) An interim transport authority may contain the following information—
  - (a) its date of issue;
  - (b) any information that may be contained on a smartcard transport authority under section 6;
  - (c) information about anything authorised or required to be stated on it under a transport authority Act.
- (4) Subsection (3) does not limit the information that may be contained on an interim transport authority.
- (5) An interim transport authority has effect as if it were a smartcard transport authority until the person receives the smartcard transport authority from the chief executive.

## **8 Verification of a person's connection to the person's most recent digital photo**

- (1) This section applies if—
  - (a) a person makes an application in relation to 1 or more transport authorities; and
  - (b) the person has been issued with a smartcard transport authority; and

- (c) the chief executive considers it reasonably necessary to verify the person's connection to the person's most recent digital photo relating to the smartcard transport authority.
- (2) The person must allow the chief executive to take and keep a digital photo and digitised signature of the person under—
- (a) for a transport authority under the *Tow Truck Act 1973*—section 19A of that Act; or
  - (b) for a transport authority under the *Transport Operations (Passenger Transport) Act 1994*—section 35A of that Act; or
  - (c) for a transport authority under the *Transport Operations (Road Use Management) Act 1995*—section 91A of that Act.

## **9 Replacement of smartcard transport authority**

- (1) This section applies if a person has been issued with a smartcard transport authority and, under a transport authority Act, any of the following happens—
- (a) the person is granted a transport authority;
  - (b) a transport authority held by the person is amended, suspended or cancelled;
  - (c) a period of suspension of a transport authority held by the person ends;
  - (d) the person is to be given a replacement document evidencing a transport authority held by the person.
- (2) The chief executive may issue a replacement smartcard transport authority to the person.
- (3) The replacement smartcard transport authority must evidence each transport authority held by the person.

## Schedule Code for IDAS

section 3

### Part 1 Preliminary

#### 1 Purpose of code

The purpose of this code is to ensure, as far as practicable, that road works on identified local government roads do not have a significant adverse impact on efficient, safe and comfortable public passenger transport.

#### 2 Definitions

In this code—

*Austrroads Guide to Road Design* means the Guide to Road Design, as amended from time to time, published by Austrroads Ltd.

*Editor's note*—

A copy of the guide is available through the Austrroads Ltd. website at <[www.austrroads.com.au](http://www.austrroads.com.au)>.

*identified local government road* means a road forming part of a route used for a public passenger service identified under section 8C(2) of the Act as a route to which a code for IDAS applies.

*Road Planning and Design Manual* means the manual for road planning and design, as amended from time to time, published by the department for the time being administering road aspects of the *Transport Infrastructure Act 1994*.

*Editor's note*—

A copy of the manual is available on the department's website at <[www.tmr.qld.gov.au](http://www.tmr.qld.gov.au)>.

**3 How to comply with this code**

- (1) This code is complied with if the development standards mentioned in part 2 are complied with.
- (2) However, if the Road Planning and Design Manual and the Austroads Guide to Road Design are both mentioned as development standards in a provision of part 2, this code is complied with if—
  - (a) the Road Planning and Design Manual is complied with; or
  - (b) for a matter not provided for in the Road Planning and Design Manual—the Austroads Code to Road Design is complied with; or
  - (c) for a matter in relation to which the Road Planning and Design Manual and the Austroads Guide to Road Design are inconsistent—the Road Planning and Design Manual is complied with.

**Part 2 Development standards****4 Lane width if traffic can pass stopped bus**

The combined lane width of a road with a speed limit of 60km/h that is designed so traffic can pass a bus stopped to load or unload passengers must be at least 7m.

**5 Lane width if buses operate in kerbside lane**

- (1) This section applies in relation to a straight road with one-way traffic that is designed to allow buses to operate in a kerbside lane.
- (2) If the road has a speed limit of 50km/h and buses and bicycles do not share the kerbside lane, the kerbside lane width must be at least 3m.

Schedule

---

- (3) If the road has a speed limit of 60km/h and buses and bicycles do not share the kerbside lane, the kerbside lane width must be at least 3.5m.
- (4) If the road has a speed limit of 60km/h and buses and bicycles share the kerbside lane, the kerbside lane width must be at least 4.2m.
- (5) If the road has a speed limit of more than 60km/h but not more than 80km/h and buses and bicycles share the kerbside lane, the kerbside lane width must be at least 4.5m.

**6 Lane width—straight, undivided two-way road**

- (1) This section applies to straight, undivided roads designed for two-way traffic and a speed limit of not more than 60km/h.
- (2) If it is intended that buses will operate adjacent to traffic lanes operating at least sometimes in the opposite direction, the lane width must be at least 3m.

**7 Lane width—curved roads**

- (1) This section does not apply to curved roads at intersection turns.
- (2) The lane widths for curved roads must be the relevant lane widths mentioned in sections 4 to 6, increased as required by the Road Planning and Design Manual, chapter 11, or the Austroads Guide to Road Design, part 3.

**8 Road profiles**

The crossfall and superelevation of a road profile must be as required by the Road Planning and Design Manual, chapters 7 and 11, or the Austroads Guide to Road Design, part 3.

**9 Road turns and curves—basic curves**

Basic curves must be provided as required by the turning path provisions in the Road Planning and Design Manual, chapter 5, or by the Austroads Guide to Road Design, part 3.

**10 Intersection curves other than for roundabouts**

Leading and trailing inside road curve transitions must be provided as required by the Road Planning and Design Manual, chapter 13, or the Austroads Guide to Road Design, part 3.

**11 Indented bus bays**

- (1) This section applies if—
  - (a) an indented bus bay is provided in traffic lanes on sub-arterial or higher order roads with no, or minimal, crossfall; and
  - (b) buses decelerate in the general traffic lane and enter the bus bay at the standard minimum service speed of 15km/h.
- (2) The indented bus bay must be provided as required by the Road Planning and Design Manual, chapter 20, or the Austroads Guide to Road Design, parts 3 and 4.

**12 Roundabouts**

- (1) A roundabout must be so designed as to ensure all traffic islands are clear of the vehicle swept path of the design bus plus 0.6m clearance each side.
- (2) Minimum radii for ensuring compliance with subsection (1) must comply with the Road Planning and Design Manual, chapter 5, or the Austroads Guide to Road Design, parts 4 and 4A.
- (3) On roads other than collector or local access streets, a roundabout must not incorporate a mountable apron on the centre island.
- (4) If a bus route requires a bus driver to make a right turn at a roundabout, the roundabout design must be as required by the Road Planning and Design Manual, chapter 14, or the Austroads Guide to Road Design, parts 4 and 4A.

**13 Road humps**

A road hump must not be more than 75mm high.

**14 Flat top humps**

Flat top humps—

- (a) must not be more than 75mm high or have a gradient of more than 1:17; and
- (b) must be at least 7m in length.

**15 Mid-block islands**

If mid-block islands are used, the lane width must be at least 3m.

*Note—*

A mid-block island is a traffic island that is not at an intersection.

## **Schedule 3      Dictionary**

### section 2A

*digital photo*, for part 4, see section 5.

*digitised signature*, for part 4, see section 5.

*most recent digital photo*, for part 4, see section 5.

*smartcard transport authority*, for part 4, see section 5.

*transport authority*, for part 4, see section 5.

*transport authority Act*, for part 4, see section 5.

# Endnotes

## 1 Index to endnotes

		Page
2	Date to which amendments incorporated . . . . .	16
3	Key . . . . .	16
4	Table of reprints . . . . .	17
5	List of legislation . . . . .	17
6	List of annotations . . . . .	18

## 2 Date to which amendments incorporated

This is the reprint date mentioned in the Reprints Act 1992, section 5(c). Accordingly, this reprint includes all amendments that commenced operation on or before 27 August 2010. Future amendments of the Transport Planning and Coordination Regulation 2005 may be made in accordance with this reprint under the Reprints Act 1992, section 49.

## 3 Key

### Key to abbreviations in list of legislation and annotations

Key	Explanation	Key	Explanation
AIA	= Acts Interpretation Act 1954	(prev)	= previously
amd	= amended	proc	= proclamation
amdt	= amendment	prov	= provision
ch	= chapter	pt	= part
def	= definition	pubd	= published
div	= division	R[X]	= Reprint No. [X]
exp	= expires/expired	RA	= Reprints Act 1992
gaz	= gazette	reloc	= relocated
hdg	= heading	renum	= renumbered
ins	= inserted	rep	= repealed
lap	= lapsed	(retro)	= retrospectively
notfd	= notified	rv	= revised edition
num	= numbered	s	= section
o in c	= order in council	sch	= schedule
om	= omitted	sdiv	= subdivision
orig	= original	SIA	= Statutory Instruments Act 1992
p	= page	SIR	= Statutory Instruments Regulation 2002
para	= paragraph	SL	= subordinate legislation
prec	= preceding	sub	= substituted
pres	= present	unnum	= unnumbered
prev	= previous		

## 4 Table of reprints

Reprints are issued for both future and past effective dates. For the most up-to-date table of reprints, see the reprint with the latest effective date.

If a reprint number includes a letter of the alphabet, the reprint was released in unauthorised, electronic form only.

Reprint No.	Amendments included	Effective	Notes
1	none	19 September 2005	
1A	2007 SL No. 200	17 August 2007	
1B	2008 SL No. 231	21 July 2008	
1C	2008 SL No. 365	7 November 2008	
1D	2009 SL No. 256	13 November 2009	
1E	2009 SL No. 280	18 December 2009	
1F	2010 SL No. 22	26 February 2010	
1G	2010 Act No. 19	23 May 2010	
1H	2010 SL No. 189	24 July 2010	
1I	2010 SL No. 223	27 August 2010	R1I withdrawn, see R2
2	—	27 August 2010	

## 5 List of legislation

### **Transport Planning and Coordination Regulation 2005 SL No. 178**

made by the Governor in Council on 11 August 2005

notfd gaz 12 August 2005 pp 1297–303

ss 1–2 commenced on date of notification

remaining provisions commenced 19 September 2005 (see s 2)

exp 1 September 2015 (see SIA s 54)

Note—The expiry date may have changed since this reprint was published. See the latest reprint of the SIR for any change.

amending legislation—

### **Transport Operations (Passenger Transport) and Other Legislation Amendment Regulation (No. 2) 2007 SL No. 200 ss 1, 17 sch**

notfd gaz 17 August 2007 pp 2023–5

commenced on date of notification

### **Transport Planning and Coordination Amendment Regulation (No. 1) 2008 SL No. 231**

notfd gaz 18 July 2008 pp 1710–12

ss 1–2 commenced on date of notification

remaining provisions commenced 21 July 2008 (see s 2)

### **Transport Planning and Coordination Amendment Regulation (No. 2) 2008 SL No. 365**

notfd gaz 7 November 2008 pp 1319–21

commenced on date of notification

Endnotes

---

**Transport Planning and Coordination Amendment Regulation (No. 1) 2009 SL No. 256**

notfd gaz 13 November 2009 pp 825–6  
commenced on date of notification

**Sustainable Planning Regulation 2009 SL No. 280 ss 1–2, pt 9 div 28**

notfd gaz 27 November 2009 pp 1001–6  
ss 1–2 commenced on date of notification  
remaining provisions commenced 18 December 2009 (see s 2)

**Transport Planning and Coordination Amendment Regulation (No. 1) 2010 SL No. 22**

notfd gaz 26 February 2010 pp 465–7  
commenced on date of notification

**Transport and Other Legislation Amendment Act (No. 2) 2010 No. 19 s 1, ch 4 pt 12**

date of assent 23 May 2010  
commenced on date of assent

**Transport Legislation (New Queensland Driver Licensing) Amendment Regulation (No. 1) 2010 SL No. 189 ss 1–2(1), pt 9**

notfd gaz 23 July 2010 pp 1196–9  
ss 1–2 commenced on date of notification  
remaining provisions commenced 24 July 2010 (see s 2(1))

**Transport Planning and Coordination Amendment Regulation (No. 2) 2010 SL No. 223**

notfd gaz 27 August 2010 pp 1520–4  
commenced on date of notification

## 6 List of annotations

### PART 1—PRELIMINARY

**pt hdg** ins 2010 SL No. 189 s 110

#### Dictionary

**s 2A** ins 2010 SL No. 189 s 111

### PART 2—CODE FOR IDAS

**pt hdg** ins 2010 SL No. 189 s 112

#### Code for IDAS

**s 3** amd 2009 SL No. 280 s 139; 2010 SL No. 223 s 3

### PART 3—PRESCRIBED TRANSIT NODES

**pt hdg** ins 2010 SL No. 189 s 113

#### Prescribed transit nodes—Act, s 28AA

**s 4** prev s 4 om R1 (see RA s 40)  
pres s 4 ins 2008 SL No. 231 s 4

---

amd 2008 SL No. 365 s 3; 2009 SL No. 256 s 3; 2010 SL No. 22 s 3; 2010 Act No. 19 s 280

**PART 4—SMARTCARD TRANSPORT AUTHORITIES****pt 4 (ss 5–9)** ins 2010 SL No. 189 s 114**SCHEDULE—CODE FOR IDAS**

(prev sch 1) renum 2010 SL No. 223 s 4(13)

**Definitions****prov hdg** amd 2010 SL No. 223 s 4(1)**s 2** def “**Austrroads Guide to Road Design**” ins 2010 SL No. 223 s 4(2)  
def “**Road Planning and Design Manual**” sub 2010 SL No. 223 s 4(3)**How to comply with this code****s 3** amd 2010 SL No. 223 s 4(4)**Lane width—straight, undivided two-way road****s 6** amd 2007 SL No. 200 s 17 sch**Lane width—curved roads****s 7** amd 2010 SL No. 223 s 4(5)**Road profiles****s 8** amd 2010 SL No. 223 s 4(6)**Road turns and curves—basic curves****s 9** amd 2010 SL No. 223 s 4(7)**Intersection curves other than for roundabouts****s 10** amd 2010 SL No. 223 s 4(8)**Indented bus bays****s 11** amd 2007 SL No. 200 s 17 sch; 2010 SL No. 223 s 4(9)–(10)**Roundabouts****s 12** amd 2010 SL No. 223 s 4(11)–(12)**SCHEDULE 2—INDENTED BUS BAY LAYOUT**

om 2010 SL No. 223 s 5

**SCHEDULE 3—DICTIONARY**

prev sch 3 om R1 (see RA s 40)

pres sch 3 ins 2010 SL No. 189 s 115