

Timber Utilisation and Marketing Act 1987

TIMBER UTILISATION AND MARKETING REGULATION 1998

Reprinted as in force on 10 October 2001 (includes amendments up to SL No. 177 of 2001)

Reprint No. 1B

This reprint is prepared by the Office of the Queensland Parliamentary Counsel Warning—This reprint is not an authorised copy

Information about this reprint

This regulation is reprinted as at 10 October 2001. The reprint shows the law as amended by all amendments that commenced on or before that day (Reprints Act 1992 s 5(c)).

The reprint includes a reference to the law by which each amendment was made—see list of legislation and list of annotations in endnotes.

Minor editorial changes allowed under the Reprints Act 1992 have been made to use aspects of format and printing style consistent with current drafting practice (s 35).

This page is specific to this reprint. See previous reprints for information about earlier changes made under the Reprints Act 1992. A table of earlier reprints is included in the endnotes.

Also see endnotes for information about-

- when provisions commenced
- editorial changes made in earlier reprints.



TIMBER UTILISATION AND MARKETING REGULATION 1998

TABLE OF PROVISIONS

Secti	Section	
	PART 1—PRELIMINARY	
1	Short title	3
2	Definition	3
	PART 2—EXCLUSIONS	
3	Exclusions from "framing timber"	3
4	Exclusions from "lyctid susceptible timber"	3
	PART 3—PRESCRIBED ARTICLES AND CLASSES OF TIMBER	
5	Articles—Act, ss 11(3) and 13(3)	4
6	Classes of milled timber—Act, s 34(3)	4
	PART 4—MOISTURE CONTENT OF TIMBER	
7	Prescribed manners for determining moisture content—Act pt 5	5
8	Standards for moisture content—Act, pt 5 and s 36	5
	PART 5—MISCELLANEOUS	
9	Prescribed time and manner for appeals—Act, s 37	5
10	Assignable H levels and conditions—Act, s 53(3)	6
11	Proof of standard	6
12	Fees	6
	SCHEDULE 1	
	EXCLUDED TIMBER—ANGIOSPERMAE	
	SCHEDULE 2	11
	MANNERS FOR DETERMINING MOISTURE CONTENT	
	SCHEDULE 3	12
	MOISTURE CONTENT STANDARDS	

SCHEDULE 4	13
H LEVELS AND CONDITIONS	
SCHEDULE 5	14
FEES	

ENDNOTES

1	Index to endnotes	15
2	Date to which amendments incorporated	15
3	Key	15
4	Table of earlier reprints	16
5	List of legislation	16
6	List of annotations	16

TIMBER UTILISATION AND MARKETING REGULATION 1998

[as amended by all amendments that commenced on or before 10 October 2001]

PART 1—PRELIMINARY

1 Short title

This regulation may be cited as the *Timber Utilisation and Marketing Regulation 1998*.

2 Definition

In this regulation—

"AS/NZS" means a joint Standards Australia and Standards New Zealand standard.

PART 2—EXCLUSIONS

3 Exclusions from "framing timber"

For the definition of "framing timber" in section 6(1) of the Act, the timber of a prescribed class or description is—

- (a) glued-laminated structural timber; and
- (b) milled timber used for framing or structural purposes that is from plantation-grown conifers.

4 Exclusions from "lyctid susceptible timber"

For the definition of "lyctid susceptible timber" in section 6(1) of the Act, the prescribed species of timber are the species from the—

- (a) order Coniferales or Taxales; and
- (b) division Angiospermae stated in schedule 1.

PART 3—PRESCRIBED ARTICLES AND CLASSES OF TIMBER

5 Articles—Act, ss 11(3) and 13(3)

For sections 11(3) and section 13(3) of the Act, the articles of a prescribed class or description are articles intended or designed to be—

- (a) used to prepare food; or
- (b) in direct contact with prepared food; or
- (c) destroyed through use; or
- (d) discarded or abandoned after use.¹

6 Classes of milled timber—Act, s 34(3)

For section $34(3)^2$ of the Act, the milled timber of a prescribed class or description is—

- (a) milled framing timber, other than—
 - (i) glued-laminated structural timber; or
 - (ii) timber from plantation-grown conifers; and
- (b) the following milled timbers if they are for exterior use and are not from plantation-grown conifers—
 - (i) balustrades;
 - (ii) door sills;
 - (iii) newel posts;
 - (iv) rails;

¹ Section 11 (Restriction on use of lyctid-susceptible timber) of the Act Section 13 (Sale of articles) of the Act

² Section 34 (Sale of milled timber) of the Act

- (v) step treads;
- (vi) stringers and risers;
- (vii) window sills.

PART 4—MOISTURE CONTENT OF TIMBER

7 Prescribed manners for determining moisture content—Act pt 5

For part 5^3 of the Act, the prescribed manner for determining the moisture content of a type timber stated in schedule 2 is the manner stated in schedule 2 opposite the type.

8 Standards for moisture content—Act, pt 5 and s 36

For part 5 and section 36(3)(a) and (4)(a) of the Act, the prescribed standard for the moisture content of a type timber stated in schedule 3 is the standard stated in schedule 3 opposite the type.⁴

PART 5—MISCELLANEOUS

9 Prescribed time and manner for appeals—Act, s 37

For section 37(1)⁵ of the Act, an appeal must—

- (a) be written; and
- (b) state the grounds for the appeal; and
- (c) be given to the chief executive within 30 days after—

³ Part 5 (Moisture content of timber) of the Act

⁴ Section 36 (Implied conditions) of the Act. For a type of timber not stated in schedule 3, see section 36(3)(b) and (4)(b) of the Act.

⁵ Section 37 (Appeal) of the Act

- (i) the person aggrieved was given notice of the refusal, cancellation, suspension or condition that is the subject of the appeal; or
- (ii) if section 37(4) of the Act applies to an application that is the subject of the appeal—the day the application is taken to have been refused under that section.

10 Assignable H levels and conditions—Act, s 53(3)

(1) For section $53(3)(a)^6$ of the Act, the chief executive may assign a H level stated in schedule 4 to timber treated with an approved preservative treatment.

(2) For section 53(3)(b) of the Act, the conditions in which it is appropriate to use timber assigned a H level are the conditions stated in schedule 4 opposite the H level or opposite a H level of a lower number.

Example of subsection (2)----

Timber assigned a H4 level is appropriate for use in the conditions stated for H4, H3, H2 or H1 level timber.

11 Proof of standard

A certificate purporting to be signed by the chief executive stating that on a stated day or during a stated period a stated AS, AS/NZS or other standard under schedule 3 was in force is evidence of the matter stated.

12 Fees

The fees payable under the Act are in schedule 5.

⁶ Section 53 (Regulation making power) of the Act

EXCLUDED TIMBER—ANGIOSPERMAE

section 4

PART 1—AUSTRALIAN TIMBER

Trade Name	Scientific name
alder, rose	Caldcluvia australiensis
almond, rose	Owenia venosa
ash, pink	Alphitonia petriei
ash, red	Alphitonia excelsa
ash, red	Alphitonia whitei
ash, silvertop	Eucalyptus sieberi
backhousia, stony	Backhousia hughesii
belah	Casuarina cristata
blackbutt	Eucalyptus pilularis
box, brush	Lophostemon confertus
box, ironwood	Choricarpia subargentea
box, ironwood	Choricarpia leptopetala
box, kanuka	Tristaniopsis laurina or Tristaniopsis exiliflora
box, swamp	Lophostemon suaveolens
box, white	Eucalyptus albens
box, white-topped	Eucalyptus quadrangulata
box, yellow	Eucalyptus melliodora

SCHEDULE 1 (continued)

Trade Name	Scientific name
gum, grey	Eucalyptus canaliculata, Eucalyptus major, Eucalyptus propinqua or Eucalyptus punctata
gum, red, forest	Eucalyptus tereticornis
gum, rose	Eucalyptus grandis
gum, scribbly	Eucalyptus haemastoma, Eucalyptus micrantha, Eucalyptus racemosa, Eucalyptus rossii or Eucalyptus signata
hardwood, Johnstone River	Backhousia bancroftii
hollywood, yellow	Premna lignum-vitae
ironbark, grey	Eucalyptus drepanophylla or Eucalyptus paniculata
ironbark, gum-topped	Eucalyptus decorticans
ironbark, red, broad-leaved	Eucalyptus fibrosa subsp. Fibrosa
ironbark, red, narrow-leaved	Eucalyptus crebra
ironbark, silver-leaved	Eucalyptus melanophloia
karri	Eucalyptus diversicolor
mahogany, white	Eucalyptus acmenoides, Eucalyptus umbra subsp. Umbra or Eucalyptus umbra subsp. Carnea
malletwood	Rhodamnia costata
malletwood, brown	Rhodamnia rubescens
malletwood, silver	Rhodamnia acuminata
mangrove, grey	Avicennia marina var. Australasica

SCHEDULE 1 (continued)

Trade Name	Scientific name
maple, Queensland	Flindersia brayleyana
maple, scented	Flindersia laevicarpa var. Laevicarpa
messmate, Gympie	Eucalyptus cloeziana
myall	Acacia pendula
oak, bull	Casuarina leuhmannii
penda, brown	Xanthostemon chrysanthus
penda, red	Xanthostemon whitei
penda, southern	Xanthostemon oppositifolius
penda, yellow	Ristantia pachysperma
saffronheart	Halfordia kendack or Halfordia scleroxyla
sandalbox	Eremophila mitchellii
sassafras	Daphnandra micrantha, Doryphora aromatica, Daphnandra repandula or Doryphora sassafras
sassafras, grey	Dryadodaphne novoguineensis
satinay	Syncarpia hillii
sheoak, beach	Casuarina equisetifolia var incana
sheoak, black	Allocasuarina littoralis
sheoak, river	Casuarina cunninghamiana
sheoak, rose	Allocasuarina torulosa
sheoak, swamp	Casuarina glauca
silkwood, maple	Flindersia pimenteliana
stingybark, blackdown	Eucalyptus sphaerocarpa
stringybark, white	Eucalyptus eugenioides
stringybark, yellow	Eucalyptus muellerana
sycamore, silver	Cryptocarya glaucescens

SCHEDULE 1 (continued)

Trade Name	Scientific name
tea-tree, broad-leaved	Melaleuca leucadendra, Melaleuca quinquinervia or Melaleuca viridiflora
tea-tree, river	Melaleuca bracteata
turpentine	Syncarpia glomulifera
wattle, ironwood	Acacia excelsa
yapunyah, mountain	Eucalyptus thozetiana
yarran	Acacia homalophylla

PART 2—IMPORTED TIMBER

Common name	Scientific name
beech, silver	Nothofagus menziesii
chengal	Balanocarpus spp.
dabarima	Planchonia spp.
gaboon	Aucoumea klaineana
giam	Hopea spp.
geronggang	Ceratoxylon arborescens
kamarere	Eucalyptus deglupta
kapur	Dryobalanops spp.
malas	Homalium spp.
vitex	Vitex spp

MANNERS FOR DETERMINING MOISTURE CONTENT

	Type of timber	Manner
1.	Veneer, plywood or blockboard	The oven-drying method for determining moisture content under AS/NZS 2098.1–1996 (Methods of Test for Veneer and Plywood)—method 1 (Moisture content of veneer and plywood)
2.	Particleboard	Method 3 (Determination of moisture content) under AS/NZS 4266.3–1995 (Reconstituted wood-based panels–Methods of Test)
3.	Timber containing volatile preserves or residual non-aqueous preservative solvent	The distillation method stated in the American Society for Testing Materials, standard method D4442–92, (Standard Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials)
4.	Timber not mentioned in items 1, 2, or 3	Method 1 (Moisture content) under AS/NZS 1080.1–1997 (Timber—Methods of Test)

MOISTURE CONTENT STANDARDS

Class or description of timber	Standard	
Glue laminated structural timber	AS 1328–1987 (Glue–Laminated Structural Timber)	
Portable timber ladders	AS1892.2–1992 (Portable Timber Ladders)	
Flat pressed particleboard	AS/NZS 1859.1-5 1997 (Reconstituted wood-based panels)	
Structural plywood	AS/NZS 2269–1994 (Plywood–Structural)	
Plywood and blockwood for interior use	AS 2270–1979 (Plywood and blockwood for interior use)	
Plywood and blockwood for exterior use	AS 2271–1979 (Plywood and blockwood for exterior use)	
Marine plywood	AS 2272–1996 (Plywood–Marine)	

H LEVELS AND CONDITIONS

H level	Conditions in which use is appropriate
H1	 In a well ventilated place where the timber is kept off the ground and completely protected from weather and wetting. The treatment is designed to reduce the likelihood of attack of insects other than termites.
H2	1. In a well ventilated place where the timber is kept off the ground and completely protected from weather and wetting.
	 The treatment is designed to reduce the likelihood of attack by insects, including termites.
Н3	 In a place where the timber is kept off the ground but is exposed to weather or periodic wetting. The treatment is designed to reduce the likelihood of attack by insects, including termites, and decay.
H4	 In a place where the timber is in contact with the ground or is continually damp. The treatment is designed to reduce the likelihood of attack by insects, including termites, and severe decay.
Н5	 In a place where the timber is in contact with the ground or fresh water. The treatment is designed to reduce the likelihood of attack by insects, including termites, and very severe decay.
H6	 In a place where the timber is in prolonged contact with sea water. The treatment is designed to reduce the likelihood of attack by marine borer and very severe decay.

FEES

		\$
1.	Application for approval of preservative treatment (section 16 of the Act)	110.00
2.	Application for authorisation to use approved preservative treatment and registration of brand (section 19 of the Act).	165.00
3.	Application for registration of brand for imported timber previously treated with an approved preservative treatment (section 20 of the Act)	80.00
4.	Application for registration of brand for remilled timber previously treated with an approved preservative treatment (section 21 of the Act)	80.00
5.	Application for recognition of brand (section 27 of the Act)	110.00
6.	Application for renewal of authorisation to use an approved preservative treatment and of registration of brand registered for the authorisation (section 25(1) of the Act)	80.00
7.	Application for renewal of registration of brand (section 25(2) of the Act), for each brand	80.00
8.	Application to transfer authorisation and registration of brand registered for the authorisation (section 26(1) of the Act)	55.00
9.	Application to transfer registration of brand for imported or remilled timber (section $26(2)$ of the Act), for each	
10.	brand	27.50
10.	Search of the register of brands—(a) for each brand searched, up to 20 brands	5.50
	(b) for more than 20 brands searched	

ENDNOTES

1 Index to endnotes

		Page
2	Date to which amendments incorporated	15
3	Key	15
4	Table of earlier reprints	16
5	List of legislation	16
6	List of annotations	16

2 Date to which amendments incorporated

This is the reprint date mentioned in the Reprints Act 1992, section 5(c). Accordingly, this reprint includes all amendments that commenced operation on or before 10 October 2001. Future amendments of the Timber Utilisation and Marketing Regulation 1998 may be made in accordance with this reprint under the Reprints Act 1992, section 49.

3 Key

Key to abbreviations in list of legislation and annotations

Key		Explanation	Key		Explanation
AIA amd amdt ch def div exp gaz hdg ins lap notfd		Acts Interpretation Act 1954 amended amendment chapter definition division expires/expired gazette heading inserted lapsed notified	prev (prev) proc prov pt pubd R[X] RA reloc renum rep s		previous previously proclamation provision part published Reprint No.[X] Reprints Act 1992 relocated renumbered repealed section
o in c	=	order in council	sch	=	schedule
om orig	=	omitted original	sdiv SIA	=	subdivision Statutory Instruments Act 1992
p para prec	= = =	page paragraph preceding	SIR SL sub	= = =	Statutory Instruments Regulation 1992 subordinate legislation substituted
pres	=	present	unnum	=	unnumbered

4 Table of earlier reprints

TABLE OF EARLIER REPRINTS

[If a reprint number includes a roman letter, the reprint was released in unauthorised, electronic form only.]

Reprint No.	Amendments included	Reprint date
1	none	23 June 1998
1A	to SL No. 177 of 1999	10 August 1999

5 List of legislation

Timber Utilisation and Marketing Regulation 1998 SL No. 140

made by the Governor in Council on 14 May 1998 notfd gaz 15 May 1998 pp 311–16 commenced on date of notification <u>exp 1 September 2008</u> (see SIA s 54)

as amended by-

Timber Utilisation and Marketing Amendment Regulation (No. 1) 1999 SL No. 177 notfd gaz 30 July 1999 pp 1905–6 commenced on date of notification

Primary Industries Legislation Amendment Regulation (No. 1) 2001 SL No. 177 pts 1, 7 notif and 28 Sontember 2001 pp 228, 30

notfd gaz 28 September 2001 pp 328–30 commenced on date of notification

6 List of annotations

Definition

prov hdgamd 2001 SL No. 177 s 13(1)s 2amd 2001 SL No. 177 s 13(2)

PART 6—REPEAL AND TRANSITIONAL

pt hdg exp 16 May 1998 (see s 15)

Repeal

s 13 exp 16 May 1998 (see s 15)

Prescribed moisture content under repealed regulation

s 14 exp 16 May 1998 (see s 15)

Expiry of pt 6

s 15 exp 16 May 1998 (see s 15)

SCHEDULE 5—FEES sub 1999 SL No. 177 s 3

© State of Queensland 2001