



Queensland

Vegetation Management (Regional Ecosystems) Amendment Regulation 2018

Subordinate Legislation 2018 No. 23

made under the

Vegetation Management Act 1999

Contents

	Page
1	Short title 2
2	Regulation amended 2
3	Amendment of sch 1 (Endangered regional ecosystems) 2
4	Amendment of sch 2 (Of concern regional ecosystems) 3
5	Amendment of sch 3 (Least concern regional ecosystems) 12
6	Amendment of sch 4 (Grassland regional ecosystems—Act, schedule) 22
7	Amendment of sch 5 (Grassland regional ecosystems—Act, section 8) 25

[s 1]

1 Short title

This regulation may be cited as the *Vegetation Management (Regional Ecosystems) Amendment Regulation 2018*.

2 Regulation amended

This regulation amends the *Vegetation Management Regulation 2012*.

3 Amendment of sch 1 (Endangered regional ecosystems)

(1) Schedule 1, part 1—

insert—

Acacia cambagei woodland on Cainozoic clay plains 11.4.6

(2) Schedule 1, parts 2, 5 and 6—

omit.

(3) Schedule 1, part 8, entries for regional ecosystem numbers 13.3.1 and 13.3.2—

omit.

(4) Schedule 1, part 9—

insert—

Complex notophyll to microphyll vine forest on alluvial plains 12.3.16

Melaleuca irbyana low open forest on alluvial plains 12.3.18

Eucalyptus moluccana and/or *Eucalyptus tereticornis* and *E. crebra* open forest to woodland, with a sparse to mid-dense understorey of *Melaleuca irbyana* on alluvial plains 12.3.19

- Melaleuca quinquenervia*, *Casuarina glauca*± 12.3.20
Eucalyptus tereticornis, *E. siderophloia* open forest on low coastal alluvial plains
- Complex microphyll vine forest on alluvial plains 12.3.21
- Corymbia citriodora* subsp. *variegata* and/or *E. moluccana*, *E. tereticornis*, *E. crebra* open forest with *Melaleuca irbyana* understorey on sedimentary rocks 12.9-10.27
- Angophora leiocarpa*, *Eucalyptus interstans*± 12.9-10.28
Corymbia intermedia, *E. tereticornis* woodland on sedimentary rocks
- Eucalyptus racemosa* subsp. *racemosa* and/or *E. seeana* and *Corymbia intermedia* woodland on metamorphics± interbedded volcanics 12.11.27

- (5) Schedule 1, parts 3 to 10—
renumber as schedule 1, parts 2 to 7.

4 Amendment of sch 2 (Of concern regional ecosystems)

- (1) Schedule 2, part 1, entry for regional ecosystem number 11.4.6—
omit.
- (2) Schedule 2, part 1—
insert—

Semi-deciduous notophyll to mesophyll vine forest, fringing or in the vicinity of watercourses, on lowlands (subregion 1) 11.3.40

- (3) Schedule 2, part 2, entries for regional ecosystem numbers 3.2.17, 3.2.19, 3.2.25, 3.3.3, 3.3.7, 3.3.54, 3.3.66, 3.5.5, 3.5.13, 3.5.17, 3.5.23, 3.5.30, 3.5.31, 3.10.3, 3.10.8, 3.10.17, 3.11.1, 3.11.14, 3.11.16, 3.12.1, 3.12.5, 3.12.7, 3.12.24, 3.12.25, 3.12.27, 3.12.29 and 3.12.31—

[s 4]

omit.

(4) Schedule 2, part 2—

insert—

<i>Melaleuca viridiflora</i> and <i>Neofabricia myrtifolia</i> woodland on beach ridges	3.2.15
<i>Melaleuca arcana</i> and <i>Thryptomene oligandra</i> open heath in swampy areas on sand plains	3.2.20
<i>Melaleuca viridiflora</i> and <i>Asteromyrtus</i> <i>symphyocarpa</i> low woodland on colluvial plains	3.5.15
<i>Eucalyptus leptophleba</i> woodland on plains	3.5.25
<i>Eucalyptus platyphylla</i> ± <i>Corymbia</i> <i>clarksoniana</i> woodland to open forest on flat wet plains	3.5.26
<i>Melaleuca citrolens</i> ± <i>M. foliolosa</i> ± <i>M.</i> <i>viridiflora</i> low open woodland on plains	3.5.27
<i>Themeda triandra</i> and <i>Heteropogon contortus</i> closed tussock grasslands on erosional plains	3.5.29
<i>Corymbia nesophila</i> open forest on sand rises in the Torres Strait Islands	3.5.34
<i>Asteromyrtus brassii</i> ± <i>Melaleuca saligna</i> tall shrubland on residual sand plains	3.5.43
<i>Corymbia stockeri</i> subsp. <i>peninsularis</i> and <i>Eucalyptus tetradonta</i> woodland on ironstone knolls and erosional surfaces	3.7.5
Deciduous vine thicket on karst outcrops	3.11.20
Deciduous vine thicket on metamorphic slopes	3.11.21
<i>Corymbia tessellaris</i> ± <i>Welchiodendron</i> <i>longivalve</i> ± <i>Eucalyptus cullenii</i> open forest on footslopes of granite hills	3.12.9

<i>Eucalyptus crebra</i> ± <i>Corymbia hylandii</i> low woodland to low open forest on skeletal soils in gullies and on foothills of granite hills	3.12.39
<i>Welchiodendron longivalve</i> , <i>Acacia brassii</i> low woodland on igneous hills	3.12.43
<i>Melaleuca citrolens</i> low open woodland on low granite hills and rolling rises	3.12.44
<i>Melaleuca stenostachya</i> shrubland on exposed igneous headlands and hills	3.12.46
<i>Heteropogon triticeus</i> or <i>Themeda triandra</i> or <i>Schizachyrium fragile</i> tussock grassland on rocky igneous coastal headlands and islands	3.12.48

(5) Schedule 2, part 4, entry for regional ecosystem number 5.6.3—

omit.

(6) Schedule 2, part 6, entry for regional ecosystem number 9.12.31—

omit.

(7) Schedule 2, part 7, entries for regional ecosystem numbers 2.3.8, 2.3.12, 2.3.35, 2.3.38 and 2.5.7—

omit.

(8) Schedule 2, part 7—

insert—

Tidal lagoons on coastal mud flats	2.1.5
<i>Chrysopogon elongatus</i> , <i>Eriachne</i> spp., <i>Perotis rara</i> and <i>Aristida holathera</i> in mixed tussock grasslands on coastal dunes	2.2.4
<i>Melaleuca dealbata</i> woodland in swales associated with coastal dunes	2.2.5
Mixed sedgelands or tussock grasslands in closed depressions in the swales of coastal dunes	2.2.6

[s 4]

- Lysiphyllum cunninghamii* woodland on plains of calcareous clays 2.3.5
- Eucalyptus camaldulensis*, *Terminalia platyphylla*, *Corymbia bella* and *E. microtheca* in mixed woodlands fringing minor watercourses in Cretaceous mudstone landscapes 2.3.6
- Eucalyptus microtheca* woodland to low open woodland with *Sarga* spp. in seasonally flooded depressions on gleyed podsolics 2.3.15
- Eucalyptus leucophylla* and *Corymbia terminalis* woodland in depressions on podsolic soils 2.3.27
- Seasonal swamps. Mixed grassland and sedgeland in closed depressions with *Eucalyptus camaldulensis* fringes on plateau surfaces 2.3.38
- Springs on recent alluvium 2.3.39
- Sporobolus mitchellii* ± *Cyperus bifax*, *Astrebla elymoides*, *Chenopodium auricomum* tussock grassland on seasonally inundated alluvial plains and drainage depressions 2.3.43
- Vachellia ditricha* low open woodland on active Quaternary alluvial plains of the Mitchell River delta 2.3.47
- Shallow, seasonal hypersaline lakes with a fringe of *Eucalyptus camaldulensis* on Mesozoic sandstone plateaus 2.3.48
- Seasonal swamps. Mixed herblands and/or low shrublands with a fringe of *Eucalyptus microtheca* in closed depressions on silty, active Quaternary alluvial plains in the west of the bioregion 2.3.49
- Evergreen notophyll vine forest on fringes and levees of major watercourses 2.3.53

-
- Panicum trachyrhachis* closed tussock grassland 2.3.57
in shallow depressions on old alluvial plains
(recent Pleistocene surface)
- Eriachne glauca* var. *glauca*, *Oryza australiensis* 2.3.58
and *Eulalia aurea* tussock grassland in shallow
alluvial depressions in the Doomadgee Plains
subregion
- Eucalyptus camaldulensis* ± *Corymbia* 2.3.62
polycarpa, *Melaleuca viridiflora* woodland on
abandoned stream channels and upper drainage
areas in lateritic landscapes
- Eucalyptus melanophloia* open woodland on 2.3.64
infrequently flooded Quaternary alluvial plains
- Neofabricia mjoebergii* ± *Melaleuca* spp., 2.3.65
Asteromyrtus symphyocarpa low open woodland
on abandoned levees on Quaternary deposits
(recent Pleistocene surface)
- Dinebra neesii*, *Panicum trachyrhachis*, 2.3.67
Dichanthium sericeum and *Oryza* spp. in mixed
tussock grasslands in shallow depressions on
Tertiary clay plains
- Eucalyptus platyphylla*, *E. brassiana*, *Corymbia* 2.3.68
polycarpa and *E. leptophleba* in mixed open
forests on active Quaternary alluvial plains in
sandstone landscapes in the north-east
- Atalaya hemiglauca* and *Ventilago viminalis* low 2.5.2
open woodland on plains on red and brown
earths
- Semi-evergreen vine thicket on sandy, Tertiary 2.5.21
remnants overlying lateritised Cretaceous
mudstones
- Acacia torulosa*, *Corymbia setosa* and *A.* 2.5.27
platycarpa in mixed tall shrublands on degraded
residuals of inland sand dunes

[s 4]

Acacia shirleyi ± *Eucalyptus* spp., *Corymbia* spp. woodland on Tertiary sand sheets 2.5.29

Corymbia polycarpa and/or *C. bella* ± *Lysiphyllum cunninghamii*, *C. curtipes* woodland on abandoned levees on Tertiary clay plains 2.5.40

Eucalyptus cullenii ± *Corymbia confertiflora*, *E. chlorophylla*, *Erythrophleum chlorostachys* woodland on Tertiary sand sheets overlying Cretaceous mudstones 2.5.41

Eucalyptus spp., *Corymbia citriodora* and *E. acmenoides* open forest on high plateaus on earths and sands 2.10.3

Melaleuca spp. low open woodland on ledges on skeletal soils 2.10.6

Eucalypt woodland and deciduous woodland on hills on granitic rocks 2.12.1

(9) Schedule 2, part 8, entry for regional ecosystem number 4.9.11—

omit.

(10) Schedule 2, part 8—

insert—

Eragrostis setifolia and *Marsilea drummondii* ± *Chenopodium auricomum* open grassland in drainage depressions 4.3.13

Springs on recent alluvia and fine-grained sedimentary rock 4.3.22

(11) Schedule 2, part 9—

insert—

-
- Eucalyptus populnea*, *Acacia aneura* and/or *E. melanophloia* woodland on Quaternary sediments 6.5.2
- (12) Schedule 2, part 10—
insert—
- Eucalyptus blakelyi* woodland on alluvial plains 13.3.1
- Eucalyptus nova-anglica* open forest on alluvial plains 13.3.2
- Eucalyptus youmanii*, *E. dealbata*, *E. caleyi*, *Callitris endlicheri* woodland on metamorphics 13.11.1
- Eucalyptus prava*, *Acacia blakei*, *A. neriifolia* open woodland to shrubland on rock pavements on metamorphics 13.11.9
- Semi-evergreen vine thicket, *Angophora floribunda* woodland on igneous rocks 13.12.11
- (13) Schedule 2, part 11, entries for regional ecosystem numbers 1.3.3, 1.5.1, 1.5.2, 1.9.2 and 1.9.3—
omit.
- (14) Schedule 2, part 11—
insert—
- Mixed tussock grassland on shallow alluvium 1.3.10
- Terminalia bursarina* open woodland on recent levees 1.3.12
- Mixed shrubland on older sandy alluvium 1.5.10
- Triodia longiceps* hummock grassland on older alluvium 1.5.12
- Corymbia capricornia* low open woodland on red sands around low metamorphic hills 1.5.18

[s 4]

Mixed forbland with <i>Acacia stipuligera</i> on linear sand dunes and associated sandplains	1.6.1
<i>Triodia pungens</i> hummock grassland on ferricrete and on silcrete	1.7.3
<i>Triodia brizoides</i> and/or <i>T. molesta</i> hummock grassland on ferricrete and on silcrete	1.7.4
<i>Acacia cambagei</i> low woodland on clays developed on Cambrian limestones	1.9.9
Sink holes with low open forest of <i>Celtis strychnoides</i> and <i>Ficus</i> spp.	1.9.10
<i>Triodia pungens</i> hummock grassland on Cambrian limestones	1.9.12
<i>Eucalyptus miniata</i> woodland on sandstone plateaus	1.10.2
<i>Acacia</i> spp. and/or <i>Calytrix exstipulata</i> open shrubland on rock pavement	1.10.9
<i>Acacia cambagei</i> low woodland on metamorphic hills	1.11.7
<i>Eucalyptus odontocarpa</i> open shrubland on siliceous metamorphics	1.11.9
Grassland on clays derived from metamorphic rocks	1.11.13
<i>Acacia cambagei</i> on clay soils derived from metamorphic rocks	1.11.14
<i>Acacia cambagei</i> woodland on igneous hills	1.12.4
Mixed tussock grassland on basic igneous rocks	1.12.5
Hummock grassland on basic igneous rocks	1.12.6

(15) Schedule 2, part 12—

insert—

Mallee <i>Eucalyptus planchoniana</i> ± <i>Corymbia gummifera</i> , <i>E. racemosa</i> subsp. <i>racemosa</i> , <i>Banksia aemula</i> woodland on dunes and sand plains, especially southern sand mass islands. Usually deeply leached soils	12.2.10
Closed heath on seasonally waterlogged sand plains	12.2.12
Simple notophyll fringing forest usually dominated by <i>Waterhousea floribunda</i>	12.3.17
<i>Eucalyptus decorticans</i> ± <i>Corymbia trachyphloia</i> subsp. <i>trachyphloia</i> woodland on quartzose sandstone	12.9-10.25
<i>Eucalyptus baileyana</i> and/or <i>E. planchoniana</i> and/or <i>E. psammitica</i> woodland to open forest on quartzose sandstone	12.9-10.26
<i>Eucalyptus cloeziana</i> ± <i>E. propinqua</i> , <i>E. acmenoides</i> , <i>E. microcorys</i> and <i>E. grandis</i> tall open forest on sedimentary rocks	12.9-10.29
<i>Corymbia henryi</i> and/or <i>Eucalyptus fibrosa</i> subsp. <i>fibrosa</i> ± <i>E. crebra</i> , <i>E. carnea</i> , <i>E. tindaliae</i> woodland on metamorphics ± interbedded volcanics	12.11.25
<i>Eucalyptus baileyana</i> and/or <i>E. planchoniana</i> woodland to open forest on metamorphics ± interbedded volcanics	12.11.26
<i>Eucalyptus helidonica</i> , <i>Angophora woodsiana</i> , <i>Corymbia gummifera</i> woodland with a heathy shrub layer dominated by <i>Leptospermum polygalifolium</i> , <i>Xanthorrhoea johnsonii</i> and <i>Banksia spinulosa</i> var. <i>collina</i> on metamorphics ± interbedded volcanics	12.11.28

[s 5]

5 Amendment of sch 3 (Least concern regional ecosystems)

- (1) Schedule 3, part 2, entries for regional ecosystem numbers 3.2.15, 3.2.20, 3.3.2, 3.3.26, 3.5.1, 3.5.2, 3.5.7, 3.5.8, 3.5.10, 3.5.11, 3.5.12, 3.5.14, 3.5.15, 3.5.16, 3.5.18, 3.5.22, 3.5.25, 3.5.26, 3.5.27, 3.5.28, 3.5.29, 3.7.5, 3.9.1, 3.9.3, 3.10.11, 3.10.12, 3.10.13, 3.10.18, 3.12.9, 3.12.12, 3.12.13, 3.12.14, 3.12.15, 3.12.16, 3.12.17, 3.12.19 and 3.12.26—

omit.

- (2) Schedule 3, part 2—

insert—

Leucopogon yorkensis open scrub on dunefields 3.2.17

Sparse herbland of mixed herbaceous species on foredunes and beach ridges 3.2.25

Open heath to shrubland of *Asteromyrtus lysicephala* along creeks on plateaus 3.3.54

Sarga plumosum closed tussock grassland on erosional plains 3.3.59

Permanent lakes and lagoons, frequently with fringing woodlands or sedgeland 3.3.66

Corymbia novoguineensis ± *C. tessellaris* woodland on sand plains on northern Cape York Peninsula 3.5.5

Simple evergreen notophyll vine forest on sand plains 3.5.33

Eucalyptus tetradonta and *Corymbia nesophila* woodland with heathy understory on sand plains 3.5.35

Eucalyptus tetradonta and *Corymbia nesophila* woodland on undulating plains and remnant plateaus 3.5.36

<i>Eucalyptus tetradonta</i> ± <i>Corymbia stockeri</i> woodland to tall open forest on erosional plains and remnant plateaus	3.5.37
<i>Eucalyptus tetradonta</i> ± <i>E. cullenii</i> , <i>Corymbia stockeri</i> and <i>Melaleuca</i> spp. woodland on remnant surfaces	3.5.38
<i>Eucalyptus tetradonta</i> ± <i>Corymbia clarksoniana</i> woodland on sand plains	3.5.39
<i>Melaleuca stenostachya</i> ± <i>Eucalyptus chlorophylla</i> woodland ± <i>M. viridiflora</i> shrub layer on outwash plains	3.5.40
<i>Melaleuca viridiflora</i> ± <i>Corymbia clarksoniana</i> woodland to low open woodland on plains	3.5.41
<i>Asteromyrtus brassii</i> and/or <i>Neofabricia myrtifolia</i> low open forest to woodland on sand plains	3.5.42
Semi-deciduous mesophyll vine forest on coastal ranges	3.11.1
<i>Eucalyptus brassiana</i> and <i>Corymbia clarksoniana</i> open forest on granite ranges	3.12.7
<i>Corymbia nesophila</i> ± <i>Eucalyptus tetradonta</i> woodlands on igneous hills and rises	3.12.40
<i>Eucalyptus tetradonta</i> woodland ± heath species on granite hills and rises	3.12.41
<i>Eucalyptus tetradonta</i> woodland on low to undulating granite hills	3.12.42
<i>Melaleuca viridiflora</i> low woodland to low open woodland on steep igneous hills and footslopes	3.12.45
Mixed heath species tall shrubland to dwarf shrubland on igneous hills	3.12.47

- (3) Schedule 3, part 4, entries for regional ecosystem numbers 5.7.7 and 5.7.11—

[s 5]

omit.

- (4) Schedule 3, part 4—

insert—

Acacia calcicola ± *A. aneura* tall shrubland between sand dunes 5.6.3

Triodia longiceps ± *Triodia* spp. hummock grassland on talus slopes of dissected tablelands and residuals 5.7.15

- (5) Schedule 3, part 6—

insert—

Eucalyptus leptophleba, *Corymbia clarksoniana* and *E. crebra* ± *C. dallachiana* woodland on igneous rocks 9.12.31

- (6) Schedule 3, part 7, entries for regional ecosystem numbers 2.1.1, 2.2.2, 2.3.5, 2.3.6, 2.3.15, 2.3.23, 2.3.25, 2.3.27, 2.3.31, 2.5.2, 2.5.13, 2.5.15, 2.5.16, 2.8.1, 2.9.5, 2.10.3, 2.10.6, 2.10.7 and 2.12.1—

omit.

- (7) Schedule 3, part 7—

insert—

Semi-deciduous microphyll vine thicket on coastal dunes 2.2.3

Corymbia bella ± *C. polycarpa*, *C. confertiflora*, *Grevillea striata*, *Pandanus* sp. woodland on coastal dunes 2.2.7

Eucalyptus microtheca and/or *Excoecaria parvifolia* open woodland on seasonally flooded plains/depressions with numerous distributary channels 2.3.12

-
- Eucalyptus microtheca* and/or *E. microneura* 2.3.40
and/or *Lysiphyllum* spp. open woodland on
active Quaternary alluvial plains
- Aristida dominii*, *Chloris* sp., *Eriachne* spp. ± 2.3.41
Eragrostis basedowii, *Iseilema* sp. tussock
grassland on active Quaternary alluvial plains of
major watercourses
- Eucalyptus microtheca* ± *Excoecaria parvifolia*, 2.3.42
Lysiphyllum cunninghamii, *Melaleuca* spp. open
woodland on Quaternary alluvial plains with
coarse-grained parent material
- Eriachne* spp., *Dichanthium* spp., *Chrysopogon* 2.3.44
fallax, *Eulalia aurea* and *Oryza australiensis* in
mixed tussock grasslands on active Quaternary
alluvial plains in the Mitchell-Gilbert Fans
subregion
- Eucalyptus microtheca* or *E. chlorophylla* ± 2.3.45
Excoecaria parvifolia, *Corymbia confertiflora*
and *Terminalia* spp. low open woodland on
breakaways and erosional surfaces of major
watercourses
- Corymbia terminalis*, *C. aparrerinja* ± 2.3.46
Lysiphyllum cunninghamii woodland on river
levees in dry, southern parts of the bioregion
- Waterholes, bare sand and rock in the channels 2.3.50
of major watercourses
- Seasonal swamps. *Eucalyptus camaldulensis* ± 2.3.51
Melaleuca viridiflora open woodland in closed
depressions on Tertiary sand sheets
- Melaleuca* spp., *Eucalyptus camaldulensis*, 2.3.52
Lophostemon grandiflorus and *Livistona rigida*
in mixed woodlands fringing major spring-fed
watercourses

[s 5]

-
- Corymbia polycarpa* ± *Melaleuca viridiflora* 2.3.54
open woodland fringing minor watercourses on
Tertiary sand sheets in the north-east
- Seasonal swamps (wooded). *Melaleuca* 2.3.55
viridiflora and/or *M. clarksonii* low woodland in
closed depressions on Tertiary to Quaternary
deposits in the north
- Melaleuca stenostachya* and *M. citrolens* ± 2.3.56
Eucalyptus microtheca, *E. chlorophylla*
woodland on Quaternary alluvial plains in the
north of the bioregion
- Excoecaria parvifolia*, *Melaleuca* spp., *Grevillea* 2.3.59
striata and *Hakea pedunculata* in mixed tall
open shrublands on coastal alluvial surfaces
- Melaleuca acacioides* and/or *M. foliolosa* tall 2.3.60
shrubland on Quaternary alluvial deposits and
breakaways
- Eucalyptus microtheca* woodland in seasonal 2.3.61
swamps on active Quaternary alluvial plains
- Eucalyptus microtheca* ± *Excoecaria parvifolia*, 2.3.63
Atalaya hemiglauca woodland on scroll plains
associated with meanders of major watercourses
- Seasonal swamps (wooded). *Eucalyptus* 2.3.66
microtheca and/or *Melaleuca viridiflora* low
open woodland in closed depressions in the
Doomadgee Plains subregion
- Dichanthium* spp., *Iseilema* spp., *Aristida* spp. 2.3.69
and *Brachyachne convergens* in mixed tussock
grasslands on active Quaternary alluvial deposits
derived from coarse-grained parent material in
the west
- Eucalyptus pruinosa* low woodland on old 2.3.70
alluvial plains (recent Pleistocene surface)

-
- Eucalyptus microneura* ± *E. leptophleba* and *Corymbia confertiflora* woodland on active Quaternary alluvial plains of watercourses from the Einasleigh Uplands bioregion 2.3.71
- Corymbia* spp. and *Erythrophleum chlorostachys* in mixed woodlands on levees in active Quaternary alluvial systems (river deltas) 2.3.72
- Dichanthium* spp., *Eulalia aurea*, *Chrysopogon fallax* and *Themeda avenacea* in mixed tussock grasslands on Tertiary clay plains 2.4.1
- Astrebla* spp., *Iseilema* spp. ± *Aristida latifolia*, *Eulalia aurea* tussock grassland on Tertiary clay deposits 2.4.2
- Acacia cambagei* low woodland on Tertiary clay deposits and shallow clay depressions on plateau surfaces 2.4.3
- Eucalyptus microtheca* ± *Excoecaria parvifolia* low open woodland on Tertiary and early Quaternary clay plains 2.4.4
- Atalaya hemiglauca*, *Grevillea striata*, *Acacia victoriae* and *Vachellia sutherlandii* in mixed low open woodlands on Tertiary clay plains 2.4.5
- Melaleuca citrolens* and/or *M. stenostachya* low open woodland on Tertiary outwash deposits and sand sheets in the east 2.5.17
- Corymbia setosa* ± *C. polycarpa*, *Erythrophleum chlorostachys*, *C. pocillum* low open woodland on Tertiary sand sheets 2.5.18
- Eucalyptus tetradonta*, *E. chartaboma*, *Erythrophleum chlorostachys*, *Corymbia pocillum* in mixed woodlands on sand sheets on Mesozoic sandstone plateaus 2.5.19

[s 5]

- Eucalyptus similis* and/or *E. chartaboma* ± 2.5.20
Erythrophleum chlorostachys, *Corymbia* spp.
 woodland on undulating Tertiary sand sheets,
 moderately high in the landscape
- Corymbia* spp., *Eucalyptus pruinosa* and 2.5.22
Lysiphyllum cunninghamii in mixed woodlands
 on abandoned levees associated with clay plains
- Eucalyptus pruinosa*, *Lysiphyllum* 2.5.23
cunninghamii, *E. chlorophylla* and *Corymbia*
setosa in mixed low open woodlands on sand
 sheets overlying Tertiary lateritic surfaces
- Eucalyptus crebra* and/or *Corymbia citriodora* ± 2.5.24
C. brachycarpa, *E. mediocris* open forest on
 sand sheets on Mesozoic sandstone plateaus
- Eucalyptus similis* and *E. crebra* ± *Corymbia* 2.5.25
brachycarpa woodland on sand sheets on
 Mesozoic sandstone plateaus
- Eucalyptus melanophloia*, *Acacia julifera* subsp. 2.5.26
gilbertensis, *Corymbia setosa* and *Melaleuca*
 spp. in mixed low woodlands on Tertiary sand
 sheets
- Corymbia polycarpa* and/or *C. grandifolia* ± *C.* 2.5.28
confertiflora, *Erythrophleum chlorostachys* open
 woodland on reworked sand deposits on broad
 plains and plateau surfaces
- Melaleuca* spp., *Lysiphyllum cunninghamii* and 2.5.30
Terminalia spp. in mixed low woodlands on
 Tertiary sand sheets
- Eucalyptus pruinosa*, *Grevillea striata* and 2.5.31
Atalaya hemiglauca ± *Lysiphyllum*
cunninghamii low open woodland on plains and
 low rises derived from deeply weathered
 siltstones

-
- | | |
|--|--------|
| <i>Eucalyptus microtheca</i> open woodland on level plains derived from deeply weathered siltstones | 2.5.32 |
| <i>Melaleuca</i> spp. ± <i>Eucalyptus pruinosa</i> , <i>Asteromyrtus symphyocarpa</i> , <i>Terminalia canescens</i> low open woodland on sand sheets in the west | 2.5.33 |
| <i>Acacia cambagei</i> low woodland on gravelly deposits and deeply weathered surfaces | 2.5.34 |
| <i>Aristida latifolia</i> ± <i>Enneapogon polyphyllus</i> , <i>Brachyachne convergens</i> , <i>Sporobolus</i> spp., tussock grassland on thin, residual sand deposits overlying Tertiary clay plains | 2.5.35 |
| <i>Eucalyptus tectifera</i> ± <i>E. chlorophylla</i> , <i>Corymbia grandifolia</i> , <i>Grevillea striata</i> woodland on Tertiary sand sheets | 2.5.36 |
| <i>Eucalyptus chlorophylla</i> ± <i>Erythrophleum chlorostachys</i> , <i>Terminalia platyptera</i> , <i>Lysiphyllum cunninghamii</i> woodland on Tertiary sand sheets overlying Cretaceous mudstones | 2.5.37 |
| <i>Acacia cambagei</i> , <i>Grevillea striata</i> and <i>Atalaya hemiglauca</i> ± <i>Corymbia aparrerinja</i> low open woodland on Quaternary sand sheets overlying clay plains | 2.5.38 |
| <i>Eucalyptus pruinosa</i> and/or <i>Corymbia terminalis</i> and/or <i>C. aparrerinja</i> low open woodland on Tertiary sand and gravel deposits | 2.5.39 |
- (8) Schedule 3, part 8, entries for regional ecosystem numbers 4.3.13 and 4.5.1—
omit.
- (9) Schedule 3, part 8—
insert—

[s 5]

Acacia cambagei low woodland with scattered shrubs such as *Eremophila mitchellii* and *Geijera parviflora* on fresh Cretaceous sediments 4.9.11

(10) Schedule 3, part 9, entry for regional ecosystem number 6.5.2—

omit.

(11) Schedule 3, part 10, entry for regional ecosystem number 13.11.1—

omit.

(12) Schedule 3, part 11, entries for regional ecosystem numbers 1.3.1, 1.3.2, 1.3.8, 1.5.5, 1.5.8, 1.5.9, 1.9.6, 1.10.1, 1.10.2, 1.10.5, 1.10.7, 1.10.8 and 1.11.1—

omit.

(13) Schedule 3, part 11—

insert—

Eucalyptus chlorophylla open woodland on alluvium 1.3.11

Eucalyptus leucophylla woodland on levees and minor drainage lines 1.3.13

Corymbia terminalis low open woodland on levees of minor streams in limestone country 1.3.14

Eucalyptus pruinosa low woodland on recent alluvium 1.3.15

Eucalyptus miniata woodland on red earths on laterised plateaus 1.5.1

Mixed eucalypt woodland on sandy plains 1.5.2

Melaleuca citrolens and/or *Eucalyptus pruinosa* woodland on sandy plains 1.5.11

<i>Eucalyptus pruinosa</i> low open woodland on older alluvial and residual soils	1.5.13
<i>Corymbia aparrerinja</i> open woodland on sandy red earths	1.5.14
<i>Aristida contorta</i> annual grasslands on hard setting red soils	1.5.15
<i>Acacia cambagei</i> low woodlands on red earths	1.5.16
<i>Corymbia terminalis</i> low open woodland on sandy red earth plains	1.5.17
<i>Acacia georginae</i> and <i>A. aneura</i> low woodland on sandy red plains	1.5.19
<i>Acacia shirleyi</i> low woodland on lateritic scarps and hills	1.7.5
<i>Acacia shirleyi</i> low woodland on red soil plains overlying ferricrete	1.7.6
<i>Corymbia capricornia</i> ± <i>Eucalyptus leucophloia</i> or <i>E. miniata</i> low open woodland on silcrete	1.7.7
<i>Corymbia terminalis</i> and/or <i>Eucalyptus leucophylla</i> and/or <i>Lysiphyllum cunninghamii</i> low open woodland on limestone	1.9.11
<i>Eucalyptus leucophloia</i> low open woodland on shale hills	1.9.13
<i>Triodia pungens</i> hummock grassland with emergent <i>Eucalyptus pruinosa</i> on Precambrian shales	1.9.14
<i>Corymbia terminalis</i> and <i>Lysiphyllum cunninghamii</i> low open woodland on folded limestones	1.11.6
<i>Terminalia aridicola</i> and/or <i>Corymbia aspera</i> low open woodland to low woodland, usually with vine-scrub species, on rock outcrops	1.11.8

[s 6]

Mixed low open woodland on metamorphic plains 1.11.10

Triodia spp. hummock grassland on metamorphic hills (south) 1.11.11

Triodia pungens hummock grassland (north) 1.11.12

Eucalyptus leucophylla and/or *Corymbia terminalis* ± *C. aparrerinja* low open woodland on igneous rocks 1.12.3

Terminalia aridicola and *Brachychiton collinus* low open woodland on torfields 1.12.7

(14) Schedule 3, part 12, entries for regional ecosystem numbers 12.2.10 and 12.2.12—

omit.

(15) Schedule 3, part 12—

insert—

Eucalyptus carnea, *E. tindaliae*, *Corymbia intermedia* ± *E. siderophloia* or *E. crebra* woodland on metamorphics ± interbedded volcanics 12.11.24

6 Amendment of sch 4 (Grassland regional ecosystems—Act, schedule)

(1) Schedule 4, part 2, entries for regional ecosystem numbers 3.5.30 and 3.12.29—

omit.

(2) Schedule 4, part 2—

insert—

Sarga plumosum closed tussock grassland on erosional plains 3.3.59

-
- Heteropogon triticeus* or *Themeda triandra* or *Schizachyrium fragile* tussock grassland on rocky igneous coastal headlands and islands 3.12.48
- (3) Schedule 4, part 4—
insert—
- Triodia longiceps* ± *Triodia* spp. hummock grassland on talus slopes of dissected tablelands and residuals 5.7.15
- (4) Schedule 4, part 6, entry for regional ecosystem number 9.12.41—
omit.
- (5) Schedule 4, part 7—
insert—
- Chrysopogon elongatus*, *Eriachne* spp., *Perotis rara* and *Aristida holathera* in mixed tussock grasslands on coastal dunes 2.2.4
- Aristida dominii*, *Chloris* sp., *Eriachne* spp. ± *Eragrostis basedowii*, *Iseilema* sp. tussock grassland on active Quaternary alluvial plains of major watercourses 2.3.41
- Sporobolus mitchellii* ± *Cyperus bifax*, *Astrebla elymoides*, *Chenopodium auricomum* tussock grassland on seasonally inundated alluvial plains and drainage depressions 2.3.43
- Eriachne* spp., *Dichanthium* spp., *Chrysopogon fallax*, *Eulalia aurea* and *Oryza australiensis* in mixed tussock grasslands on active Quaternary alluvial plains in the Mitchell-Gilbert Fans subregion 2.3.44
- Panicum trachyrhachis* closed tussock grassland in shallow depressions on old alluvial plains (recent Pleistocene surface) 2.3.57

[s 6]

Eriachne glauca var. *glauca*, *Oryza australiensis* 2.3.58
and *Eulalia aurea* tussock grassland in shallow
alluvial depressions in the Doomadgee Plains
subregion

Dinebra neesii, *Panicum trachyrhachis*, 2.3.67
Dichanthium sericeum and *Oryza* spp. in mixed
tussock grasslands in shallow depressions on
Tertiary clay plains

Dichanthium spp., *Iseilema* spp., *Aristida* spp. 2.3.69
and *Brachyachne convergens* in mixed tussock
grasslands on active Quaternary alluvial deposits
derived from coarse-grained parent material in
the west

Dichanthium spp., *Eulalia aurea*, *Chrysopogon* 2.4.1
fallax and *Themeda avenacea* in mixed tussock
grasslands on Tertiary clay plains

Astrebla spp., *Iseilema* spp. ± *Aristida latifolia*, 2.4.2
Eulalia aurea tussock grassland on Tertiary clay
deposits

Aristida latifolia ± *Enneapogon polyphyllus*, 2.5.35
Brachyachne convergens, *Sporobolus* spp.,
tussock grassland on thin, residual sand deposits
overlying Tertiary clay plains

(6) Schedule 4, part 8, entry for regional ecosystem number
4.9.3—

omit.

(7) Schedule 4, part 10, entry for regional ecosystem number
1.3.1—

omit.

(8) Schedule 4, part 11—

insert—

Mixed tussock grassland on shallow alluvium 1.3.10

<i>Triodia longiceps</i> hummock grassland on older alluvium	1.5.12
<i>Aristida contorta</i> annual grasslands on hard setting red soils	1.5.15
<i>Triodia pungens</i> hummock grassland on ferricrete and on silcrete	1.7.3
<i>Triodia brizoides</i> and/or <i>T. molesta</i> hummock grassland on ferricrete and on silcrete	1.7.4
<i>Triodia pungens</i> hummock grassland on Cambrian limestones	1.9.12
<i>Triodia pungens</i> hummock grassland with emergent <i>Eucalyptus pruinosa</i> on Precambrian shales	1.9.14
<i>Triodia</i> spp. hummock grassland on metamorphic hills (south)	1.11.11
<i>Triodia pungens</i> hummock grassland (north)	1.11.12
Grassland on clays derived from metamorphic rocks	1.11.13
Mixed tussock grassland on basic igneous rocks	1.12.5
Hummock grassland on basic igneous rocks	1.12.6

7 **Amendment of sch 5 (Grassland regional ecosystems—Act, section 8)**

- (1) Schedule 5, part 2, entries for regional ecosystem numbers 3.5.30 and 3.12.29—

omit.

- (2) Schedule 5, part 6—

insert—

[s 7]

Eriachne glauca var. *glauca*, *Oryza australiensis* 2.3.58
and *Eulalia aurea* tussock grassland in shallow
alluvial depressions in the Doomadgee Plains
subregion

- (3) Schedule 5, part 7, entry for regional ecosystem number
4.9.3—

omit.

- (4) Schedule 5, part 9, entry for regional ecosystem number
1.3.1—

omit.

- (5) Schedule 5, part 9—

insert—

Mixed tussock grassland on shallow alluvium 1.3.10

Triodia longiceps hummock grassland on older
alluvium 1.5.12

Aristida contorta annual grasslands on hard
setting red soils 1.5.15

Triodia pungens hummock grassland on
ferricrete and on silcrete 1.7.3

Grassland on clays derived from metamorphic
rocks 1.11.13

Mixed tussock grassland on basic igneous rocks 1.12.5

ENDNOTES

- 1 Made by the Governor in Council on 8 March 2018.
- 2 Notified on the Queensland legislation website on 9 March 2018.
- 3 The administering agency is the Department of Natural Resources, Mines and Energy.

© State of Queensland 2018